

O.C.G.A. § 12-7-1

TITLE 12. Conservation and Natural Resources CHAPTER 7. Control of Soil Erosion and Sedimentation

2025 Georgia Code

Copyright by The State of Georgia

All rights reserved

**** Current through 2025 Regular Session of the General Assembly ****

§12-7-1. Short title

This chapter shall be known and may be cited as the “Erosion and Sedimentation Act of 1975.”

§12-7-2. Legislative findings; policy of state and intent of chapter

It is found that soil erosion and sediment deposition onto lands and into waters within the watersheds of this state are occurring as a result of widespread failure to apply proper soil erosion and sedimentation control practices in land clearing, soil movement, and construction activities and that such erosion and sediment deposition result in pollution of state waters and damage to domestic, agricultural, recreational, fish and wildlife, and other resource uses. It is therefore declared to be the policy of this state and the intent of this chapter to strengthen and extend the present erosion and sediment control activities and programs of this state and to provide for the establishment and implementation of a state-wide comprehensive soil erosion and sediment control program to conserve and protect the land, water, air, and other resources of this state.

§12-7-3. Definitions

As used in this chapter, the term:

- (1) “Board” means the Board of Natural Resources.
- (2) “Buffer” means the area of land immediately adjacent to the banks of state waters in its natural state of vegetation, which facilitates the protection of water quality and aquatic habitat.
 - (2.1) “Coastal marshlands” shall have the same meaning as in Code Section 12-5-282.
- (3) “Commission” means the State Soil and Water Conservation Commission.
- (4) “Director” means the director of the Environmental Protection Division of the Department of Natural Resources.

(5) “District” means any one of the soil and water conservation districts of this state.

(6) “Division” means the Environmental Protection Division of the Department of Natural Resources.

(7) “Drainage structure” means a device composed of a virtually nonerodible material such as concrete, steel, plastic, or other such material that conveys water from one place to another by intercepting the flow and carrying it to a release point for storm-water management, drainage control, or flood control purposes.

(8) “Erosion and sediment control plan” or “plan” means a plan for the control of soil erosion and sediment resulting from a land-disturbing activity.

(9) “Land-disturbing activity” means any activity which may result in soil erosion from water or wind and the movement of sediments into state water or onto lands within the state, including, but not limited to, clearing, dredging, grading, excavating, transporting, and filling of land but not including agricultural practices as described in paragraph (5) of Code Section 12-7-17.

(9.1) “Larger common plan of development or sale” means a contiguous area where multiple separate and distinct construction activities are occurring under one plan of development or sale. For purposes of this paragraph, “plan” means an announcement; piece of documentation such as a sign, public notice or hearing, sales pitch, advertisement, drawing, permit application, zoning request, or computer design; or physical demarcation such as boundary signs, lot stakes, or surveyor markings, indicating that construction activities may occur on a specific plot.

(10) “Local issuing authority” means the governing authority of any county or municipality which is certified pursuant to subsection (a) of Code Section 12-7-8. Such term shall also include any water authority or water and sewer authority which has been authorized by local law to be responsible for storm-water management and to implement and enforce all related ordinances and regulations and, pursuant to an intergovernmental agreement with each governing authority of an applicable county or municipality, operates a storm-water utility and maintains the storm-water management system and soil erosion and sedimentation control permitting, inspection, and enforcement of such county or municipality.

(10.1) “Maintenance” means actions necessary or appropriate for retaining or restoring a currently serviceable improvement to the specified operable condition to achieve its maximum useful life. Maintenance includes emergency reconstruction of recently damaged parts of a currently serviceable structure so long as it occurs within a reasonable period of time after damage occurs. Maintenance does not include any modification that changes the character, scope, or size of the original design.

(10.2) “Manual for Erosion and Sediment Control in Georgia” or “manual” means the published guidance of the commission governing the design and practices to be utilized in the protection of this state’s natural resources from erosion and sedimentation which

shall be based foremost upon sound engineering principles and repeatable bench and field testing of structural and vegetative best management practices and which shall have the annual approval of the Erosion and Sediment Control Overview Council established pursuant to Code Section 12-7-7.1.

(10.3) “Operator” means the party or parties that have:

(A) Operational control of construction project plans and specifications, including the ability to make modifications to those plans and specifications; or

(B) Day-to-day operational control of those activities that are necessary to ensure compliance with a storm-water pollution prevention plan for the site or other permit conditions, such as a person authorized to direct workers at a site to carry out activities required by the storm-water pollution prevention plan or to comply with other permit conditions.

(11) “Person” means any individual, partnership, firm, association, joint venture, public or private corporation, trust, estate, commission, board, public or private institution, utility, cooperative, state agency, municipality or other political subdivision of this state, any interstate body, or any other legal entity.

(12) “Qualified personnel” means any person who meets or exceeds the education and training requirements of Code Section 12-7-19.

(13) “Roadway drainage structure” means a device, such as a bridge, culvert, or ditch, composed of a virtually nonerodible material such as concrete, steel, plastic, or other such material that conveys water under a roadway by intercepting the flow on one side of a traveled way consisting of one or more defined lanes, with or without shoulder areas, and carrying water to a release point on the other side.

(13.1) “Serviceable” means usable in its current state or with minor maintenance but not so degraded as to essentially require reconstruction.

(14) “Soil and water conservation district approved plan” means an erosion and sediment control plan approved in writing by a soil and water conservation district.

(15) “State general permit” means the National Pollution Discharge Elimination System general permit or permits for storm-water runoff from construction activities as is now in effect or as may be amended or reissued in the future pursuant to the state’s authority to implement the same through federal delegation under the Federal Water Pollution Control Act, as amended, 33 U.S.C. Section 1251, et seq., and subsection (f) of Code Section 12-5-30.

(16) “State waters” includes any and all rivers, streams, creeks, branches, lakes, reservoirs, ponds, drainage systems, springs, wells, and other bodies of surface or subsurface water, natural or artificial, lying within or forming a part of the boundaries of the state, which are not entirely confined and retained completely upon the property of a single individual, partnership, or corporation.

§12-7-4. Adoption of comprehensive ordinances relating to land-disturbing activities; delegation of responsibility to planning and zoning commission; other local ordinances relating to land development; effect of chapter on design professionals

(a) The governing authority of each county and each municipality shall adopt a comprehensive ordinance establishing the procedures governing land-disturbing activities which are conducted within their respective boundaries. Such ordinances shall be consistent with the standards provided by this chapter. Local governing authorities shall have the authority, by such ordinance, to delegate in whole or in part the responsibilities of the governing authorities, as set forth in this chapter, to any constitutional or statutory local planning and zoning commission. Where the local governing authority deems it appropriate, it may integrate such provisions with other local ordinances relating to land development including but not limited to tree protection, flood plain protection, stream buffers, or storm-water management; and the properties to which any of the types of ordinances identified in this Code section shall apply, whether or not such ordinances are integrated, shall include without limitation property owned by the local governing authority or by a local school district, except as otherwise provided by Code Section 12-7-17.

(b) Nothing in this chapter shall be construed as to limit or exclude any design professional, including but not limited to any professional engineer or registered land surveyor, or Natural Resource Conservation Service employee, within any county, municipality, or consolidated government in this state from performing such professional services as may be incidental to the practice of his or her profession, including any and all soil erosion and sedimentation control plans, storm-water management reports including hydrological studies, and site plans, when such professional has demonstrated competence through such qualifications, education, experience, and licensing as required for practice in this state by applicable provisions of Title 43 related to such profession; provided, however, that any such person shall be subject to the requirements of Code Section 12-7-19.

§12-7-5. Adoption of rules and regulations for localities without ordinances

The board, by appropriate rules and regulations, shall adopt the procedures governing land-disturbing activities which are conducted in those counties and municipalities which do not have in effect an ordinance conforming to this chapter. Such rules and regulations shall be developed by the division in consultation with the commission and shall contain provisions which meet those minimum requirements set forth in Code Section 12-7-6.

§12-7-6. Best management practices; compliance with federal law; minimum requirements for rules, regulations, ordinances, or resolutions

(a)

(1) Best management practices as set forth in subsection (b) of this Code section shall be required for all land-disturbing activities. Proper design, installation, and maintenance of best management practices shall constitute a complete defense to any action by the

director or to any other allegation of noncompliance with paragraph (2) of this subsection or any substantially similar terms contained in a permit for the discharge of storm water issued pursuant to subsection (f) of Code Section 12-5-30. As used in this subsection, the terms “proper design” and “properly designed” mean designed in accordance with the hydraulic design specifications contained in the “Manual for Erosion and Sediment Control in Georgia” specified in subsection (b) of this Code section.

(2) A discharge of storm-water runoff from disturbed areas where best management practices have not been properly designed, installed, and maintained shall constitute a separate violation of any land-disturbing permit issued by a local issuing authority or of any state general permit issued by the division pursuant to subsection (f) of Code Section 12-5-30 for each day on which such discharge results in the turbidity of receiving waters being increased by more than 25 nephelometric turbidity units for waters supporting warm water fisheries or by more than ten nephelometric turbidity units for waters classified as trout waters. The turbidity of the receiving waters shall be measured in accordance with guidelines to be issued by the director. This paragraph shall not apply to any land disturbance associated with the construction of single-family homes which are not part of a larger common plan of development or sale unless the planned disturbance for such construction is equal to or greater than five acres.

(3) Failure properly to design, install, or maintain best management practices shall constitute a violation of any land-disturbing permit issued by a local issuing authority or of any state general permit issued by the division pursuant to subsection (f) of Code Section 12-5-30 for each day on which such failure occurs.

(4) The director may require, in accordance with regulations adopted by the board, reasonable and prudent monitoring of the turbidity level of receiving waters into which discharges from land-disturbing activities occur.

(b) The rules and regulations, ordinances, or resolutions adopted pursuant to this chapter for the purpose of governing land-disturbing activities shall require, as a minimum, protections at least as stringent as the state general permit; and best management practices, including sound conservation and engineering practices to prevent and minimize erosion and resultant sedimentation, which are consistent with, and no less stringent than, those practices contained in the “Manual for Erosion and Sediment Control In Georgia” published by the State Soil and Water Conservation Commission as of January 1 of the year in which the land-disturbing activity was permitted, as well as the following:

(1) Stripping of vegetation, regrading, and other development activities shall be conducted in such a manner so as to minimize erosion;

(2) Cut and fill operations must be kept to a minimum;

(3) Development plans must conform to topography and soil type, so as to create the lowest practicable erosion potential;

(4) Whenever feasible, natural vegetation shall be retained, protected, and supplemented;

(5) The disturbed area and the duration of exposure to erosive elements shall be kept to a practicable minimum;

(6) Disturbed soil shall be stabilized as quickly as practicable;

(7) Temporary vegetation or mulching shall be employed to protect exposed critical areas during development;

(8) Permanent vegetation and structural erosion control measures must be installed as soon as practicable;

(9) To the extent necessary, sediment in run-off water must be trapped by the use of debris basins, sediment basins, silt traps, or similar measures until the disturbed area is stabilized. As used in this paragraph, a disturbed area is stabilized when it is brought to a condition of continuous compliance with the requirements of this chapter;

(10) Adequate provisions must be provided to minimize damage from surface water to the cut face of excavations or the sloping surfaces of fills;

(11) Cuts and fills may not endanger adjoining property;

(12) Fills may not encroach upon natural watercourses or constructed channels in a manner so as to adversely affect other property owners;

(13) Grading equipment must cross flowing streams by the means of bridges or culverts, except when such methods are not feasible, provided, in any case, that such crossings must be kept to a minimum;

(14) Land-disturbing activity plans for erosion and sedimentation control shall include provisions for treatment or control of any source of sediments and adequate sedimentation control facilities to retain sediments on site or preclude sedimentation of adjacent waters beyond the levels specified in subsection (a) of this Code section;

(15)

(A) There is established a 25 foot buffer along the banks of all state waters, as measured horizontally from the point where vegetation has been wrested by normal stream flow or wave action, except:

(i) As provided by paragraphs (16) and (17) of this subsection;

(ii) Where the director determines to allow a variance that is at least as protective of natural resources and the environment;

(iii) Where otherwise allowed by the director pursuant to Code Section 12-2-8;

(iv) Where a drainage structure or a roadway drainage structure must be constructed, provided that adequate erosion control measures are incorporated in the project plans and specifications and are implemented;

(v) Along any ephemeral stream. As used in this division, the term “ephemeral stream” means a stream:

(I) That under normal circumstances has water flowing only during and for a short duration after precipitation events;

(II) That has the channel located above the ground-water table year round;

(III) For which ground water is not a source of water; and

(IV) For which runoff from precipitation is the primary source of water flow; or

(vi) Where shoreline stabilization is installed; provided, however, that this exception shall be limited to the construction of bulkheads and sea walls only to the extent required to prevent the erosion of the shoreline. This exception shall be limited to Lake Oconee and Lake Sinclair and shall be limited to the duration of such construction.

Unless exempted under division (v) of this subparagraph, buffers of at least 25 feet established pursuant to Part 6 of Article 5 of Chapter 5 of this title shall remain in force unless a variance is granted by the director as provided in this paragraph.

(B) No land-disturbing activities shall be conducted within any such buffer; and a buffer shall remain in its natural, undisturbed state of vegetation until all land-disturbing activities on the construction site are completed, except as otherwise provided by this paragraph. Once the final stabilization of the site is achieved, a buffer may be thinned or trimmed of vegetation as long as a protective vegetative cover remains to protect water quality and aquatic habitat and a natural canopy is left in sufficient quantity to keep shade on the stream bed; provided, however, that any person constructing a single-family residence, when such residence is constructed by or under contract with the owner for his or her own occupancy, may thin or trim vegetation in a buffer at any time as long as protective vegetative cover remains to protect water quality and aquatic habitat and a natural canopy is left in sufficient quantity to keep shade on the stream bed.

(C) On or before December 31, 2004, the board shall adopt rules which contain specific criteria for the grant or denial by the director of requests for variances. After such date, no variance shall be granted by the director which is not consistent with the criteria contained in such rules. Such rules shall provide, at a minimum, that the director shall consider granting a variance in the following circumstances:

(i) Where a proposed land-disturbing activity within the buffer would require the landowner to acquire a permit from the United States Army

Corps of Engineers under Section 404 of the federal Water Pollution Control Act Amendment of 1972, 33 U.S.C. Section 1344, and the Corps of Engineers has approved a mitigation plan to be implemented as a condition of such a permit;

(ii) Where the landowner provides a plan satisfactory to the director that shows that, even with the proposed land-disturbing activity within the buffer, the completed project will result in maintained or improved water quality downstream of the project; or

(iii) Where a project with a proposed land-disturbing activity within the buffer is located in or upstream and within ten linear miles of a stream segment listed as impaired under Section 303(d) of the federal Water Pollution Control Act Amendment of 1972, 33 U.S.C. Section 1313(d) and the landowner provides a plan satisfactory to the director that shows that the completed project will result in maintained or improved water quality in such listed stream segment and that the project has no adverse impact relative to the pollutants of concern in such stream segment.

All projects covered under divisions (i), (ii), and (iii) of this subparagraph shall meet all criteria set forth in rules for specific variance criteria adopted by the board by December 31, 2004.

(D) The buffer shall not apply to the following land-disturbing activities, provided that they occur at an angle, as measured from the point of crossing, within 25 degrees of perpendicular to the stream; cause a width of disturbance of not more than 50 feet within the buffer; and adequate erosion control measures are incorporated into the project plans and specifications and are implemented:

(i) Stream crossings for water lines; or

(ii) Stream crossings for sewer lines;

(16) There is established a 50 foot buffer, as measured horizontally from the point where vegetation has been wrested by normal stream flow or wave action, along the banks of any state waters classified as "trout streams" pursuant to Article 2 of Chapter 5 of this title except where a roadway drainage structure must be constructed; provided, however, that small springs and streams classified as trout streams which discharge an average annual flow of 25 gallons per minute or less shall have a 25 foot buffer or they may be piped, at the discretion of the landowner, pursuant to the terms of a rule providing for a general variance promulgated by the board providing for notice to the division or local issuing authority of the location and extent of the piping and prescribed methodology for minimizing the impact of such piping and for measuring the volume of water discharged by the stream. Any such pipe must stop short of the downstream landowner's property, and the landowner must comply with the buffer requirement for any adjacent trout streams. The director may grant a variance from such buffer to allow land-disturbing

activity, provided that adequate erosion control measures are incorporated in the project plans and specifications and are implemented. The following requirements shall apply to any such buffer:

(A) No land-disturbing activities shall be conducted within a buffer and a buffer shall remain in its natural, undisturbed state of vegetation until all land-disturbing activities on the construction site are completed. Once the final stabilization of the site is achieved, a buffer may be thinned or trimmed of vegetation as long as a protective vegetative cover remains to protect water quality and aquatic habitat and a natural canopy is left in sufficient quantity to keep shade on the stream bed; provided, however, that any person constructing a single-family residence, when such residence is constructed by or under contract with the owner for his or her own occupancy, may thin or trim vegetation in a buffer at any time as long as protective vegetative cover remains to protect water quality and aquatic habitat and a natural canopy is left in sufficient quantity to keep shade on the stream bed;

(B) On or before December 31, 2000, the board shall adopt rules which contain specific criteria for the grant or denial by the director of requests for variances. After such date, no variance shall be granted by the director which is not consistent with the criteria contained in such rules; provided, however, that, should the board fail to adopt rules which contain specific criteria for the grant or denial of requests for variances by the director on or before December 31, 2000, the authority of the director to issue such variances shall be suspended until the board adopts such rules; and

(C) The buffer shall not apply to the following land-disturbing activities, provided that they occur at an angle, as measured from the point of crossing, within 25 degrees of perpendicular to the stream; they cause a width of disturbance of not more than 50 feet within the buffer; and adequate erosion control measures are incorporated into the project plans and specifications and are implemented:

- (i)** Stream crossings for water lines; or
- (ii)** Stream crossings for sewer lines; and

(17)

(A) There is established a 25 foot buffer along coastal marshlands, as measured horizontally from the coastal marshland-upland interface, as determined in accordance with Part 4 of Article 4 of Chapter 5 of this title, the "Coastal Marshlands Protection Act of 1970," and the rules and regulations promulgated thereunder, except:

- (i)** Where the director determines to allow a variance that is at least as protective of natural resources and the environment;

(ii) Where otherwise allowed by the director pursuant to Code Section 12-2-8;

(iii) Where an alteration within the buffer area has been authorized pursuant to Code Section 12-5-286;

(iv) For maintenance of any currently serviceable structure, landscaping, or hardscaping, including bridges, roads, parking lots, golf courses, golf cart paths, retaining walls, bulkheads, and patios; provided, however, that if such maintenance requires any land-disturbing activity, adequate erosion control measures are incorporated into the project plans and specifications and such measures are fully implemented;

(v) Where a drainage structure or roadway drainage structure is constructed or maintained; provided, however, that adequate erosion control measures are incorporated into the project plans and specifications and such measures are fully implemented;

(vi) On the landward side of any currently serviceable shoreline stabilization structure; and

(vii) For the maintenance of any manmade storm-water detention basin, golf course pond, or impoundment that is located entirely within the property of a single individual, partnership, or corporation; provided, however, that adequate erosion control measures are incorporated into the project plans and specifications and such measures are fully implemented.

(B) No land-disturbing activity shall be conducted within any such buffer and a buffer shall remain in its current, undisturbed state of vegetation until all land-disturbing activities on the construction site are completed, except as otherwise provided by this paragraph. Once the final stabilization of the site is achieved, a buffer may be thinned or trimmed of vegetation so long as a protective vegetative cover remains to protect water quality and aquatic habitat; provided, however, that any person constructing a single-family residence, when such residence is constructed by or under contract with the owner for his or her own occupancy, may thin or trim vegetation in a buffer at any time so long as a protective vegetative cover remains to protect water quality and aquatic habitat.

(C) On or before December 31, 2015, the board shall promulgate rules and regulations that:

(i) Contain criteria for the grant or denial by the director of requests for variances pursuant to this paragraph, including where an alteration within the buffer area has been authorized pursuant to a permit issued by the United States Army Corps of Engineers under Section 404 of the Federal Water Pollution Control Act of 1972, as amended, or Section 10 of the Rivers and Harbors Act of 1899; provided, however, that adequate erosion

control measures are incorporated into the project plans and specifications and such measures are fully implemented; and

(ii) Provide for variances by rule, subject to specified conditions, for certain categories of activities within the buffer that will have minimal impact on the water quality or aquatic habitat of the adjacent marsh, including where the area within the buffer is not more than 500 square feet; provided, however, that adequate erosion control measures are incorporated into the project plans and specifications and such measures are fully implemented.

(D) The board may adopt rules and regulations that provide for an expedited process for certain categories of activities within the buffer based on the size, scope, location, and character of the proposed activity within the buffer.

(E) The buffer requirements of this paragraph shall not apply to crossings for utility lines that cause a width of disturbance of not more than 50 feet within the buffer; provided, however, that adequate erosion control measures are incorporated into the project plans and specifications and such measures are fully implemented.

(F) The buffer shall not apply to:

(i) Any land-disturbing activity conducted pursuant to and in compliance with a valid and effective land-disturbing permit issued subsequent to April 22, 2014, and prior to December 31, 2015; provided, however, that adequate erosion control measures are incorporated into the project plans and specifications and such measures are fully implemented; or

(ii) Any lot for which the preliminary plat has been approved prior to December 31, 2015, if roadways, bridges, or water and sewer lines have been extended to such lot prior to December 31, 2015, and if the requirement to maintain a 25 foot buffer would consume at least 18 percent of the high ground of the platted lot otherwise available for development; provided, however, that adequate erosion control measures are incorporated into the project plans and specifications and such measures are fully implemented.

(b.1) On or before June 30, 2022, the board shall promulgate rules and regulations that contain specific criteria for the approval or denial by the director of requests for variances for road construction and maintenance projects undertaken by the Department of Transportation when:

(1) An alteration within the buffer area has been authorized pursuant to a permit issued by the United States Army Corps of Engineers under Section 404 of the Federal Water Pollution Control Act of 1972, as amended, or Section 10 of the Rivers and Harbors Act of 1899; provided, however, that adequate erosion control measures are incorporated into the project plans and specifications and such measures are fully implemented; or

(2) The land-disturbing activity is not eligible for a permit issued by the United States Army Corps of Engineers under Section 404 of the Federal Water Pollution Control Act of 1972, as amended, and involves the piping, filling, or rerouting of waters that are not jurisdictional waters of the United States regardless as to whether or not such waters have been classified as primary or secondary trout waters.

(c) Nothing contained in this chapter shall prevent any local issuing authority from adopting rules and regulations, ordinances, or resolutions which contain stream buffer requirements that exceed the minimum requirements in subsection (b) of this Code section.

(d) The fact that land-disturbing activity for which a permit has been issued results in injury to the property of another shall neither constitute proof of nor create a presumption of a violation of the standards provided for in this Code section or the terms of the permit.

§12-7-7. Permit or notice of intent required for land-disturbing activities; approval of application and issuance of permit; denial of permit; bond requirement

(a) No land-disturbing activities shall be conducted in this state, except those land-disturbing activities provided for in Code Section 12-7-17, without the operator first securing a permit from a local issuing authority or providing notice of intent to the division as required by this Code section.

(b) In those counties, municipalities, and service areas for water or water and sewer authorities which are certified as local issuing authorities pursuant to subsection (a) of Code Section 12-7-8:

(1) The application for such permit shall be made to and the permit shall be issued by the governing authority of the county wherein such land-disturbing activities are to occur, in the event that such activities will occur outside the corporate limits of a municipality;

(2) In those instances where such activities will occur within the corporate limits of any municipality, the application for such permit shall be made to and the permit shall be issued by the governing authority of the municipality in which such land-disturbing activities are to occur;

(3) In those instances where such activities will occur within the service area of a water authority or water and sewer authority, the application of such permit shall be made to and the permit shall be issued by such authority in which such land-disturbing activities are to occur within the authority's service area; and

(4) The local issuing authority shall conduct inspections and enforce the permits it issues.

(c) In those counties, municipalities, and service areas for water or water and sewer authorities which are not certified pursuant to subsection (a) of Code Section 12-7-8, the terms of the state general permit shall apply, those terms shall be enforced by the division, and no individual land-disturbing activity permit under this Code section will be required; provided, however, that notice of intent shall be submitted to the division prior to commencement of any land-disturbing

activities under the state general permit in any of such uncertified counties, municipalities, and service areas for water or water and sewer authorities.

(d)

(1) Fees assessed pursuant to paragraph (5) of subsection (a) of Code Section 12-5-23 shall be calculated and paid by the primary permittee as defined in the state general permit for each acre of land-disturbing activity included in the planned development or each phase of development.

(2) In a jurisdiction that is certified pursuant to subsection (a) of Code Section 12-7-8, half of any such fees levied shall be submitted by the applicant to the local issuing authority and half of such fees shall be submitted to the division; except that any and all fees due from an entity which is required to give notice pursuant to paragraph (9) or (10) of Code Section 12-7-17 shall be submitted in full to the division, regardless of the existence of a local issuing authority in the jurisdiction. In a jurisdiction where there is no local issuing authority, the full fee shall be submitted to the division.

(e) Except as provided in this subsection, no permit shall be issued pursuant to subsection (b) of this Code section unless the erosion and sediment control plan has been approved by the appropriate district as is required by Code Section 12-7-10. When the jurisdiction or entity that is certified pursuant to subsection (a) of Code Section 12-7-8 lying within the boundaries of the district demonstrates capabilities to review and approve an erosion and sediment control plan and requests an agreement with the district to conduct such review and approval, the district, with the concurrence of the commission, shall enter into an agreement which allows the jurisdiction or entity that is certified pursuant to subsection (a) of Code Section 12-7-8 to conduct review and approval without referring the application and plan to the district, if such jurisdiction or entity that is certified pursuant to subsection (a) of Code Section 12-7-8 meets the conditions specified by the district as set forth in the agreement. A district may not enter into an agreement authorized in this Code section with any jurisdiction or entity that is not certified pursuant to subsection (a) of Code Section 12-7-8.

(f)

(1) If a permit applicant has had two or more violations of previous permits or this Code section within three years prior to the date of filing of the application under consideration, the local issuing authority may deny the permit application.

(2) The local issuing authority may require the permit applicant to post a bond in the form of government security, cash, irrevocable letter of credit, or any combination thereof up to, but not exceeding, \$3,000.00 per acre of the proposed land-disturbing activity, prior to issuing the permit. If the applicant does not comply with this Code section or with the conditions of the permit after issuance, the local issuing authority may call the bond or any part thereof to be forfeited and may use the proceeds to hire a contractor to stabilize the site of the land-disturbing activity and bring it into compliance. This subsection shall not apply unless there is in effect an ordinance or statute specifically providing for

hearing and judicial review of any determination or order of the local issuing authority with respect to alleged permit violations.

§12-7-7.1. Erosion and sediment control plan prepared; completion; implementation

(a) As used in this Code section, the term “contractor” means the individual, firm, corporation, or combination thereof or governmental organization contracting with the Department of Transportation or State Road and Tollway Authority for the performance of prescribed work.

(b)

(1) In addition to the requirements of Code Section 12-7-6, the Department of Transportation or the State Road and Tollway Authority after July 1, 2003, shall not contract for land-disturbing activity on any construction or maintenance project that will disturb one or more contiguous acres of land until an erosion and sediment control plan for such project has been prepared and accepted pursuant to this Code section.

(2) Through its own forces or by means of the acquisition of professional service pursuant to the provisions of Chapter 22 of Title 50, the Department of Transportation or the State Road and Tollway Authority shall be responsible for the preparation of an erosion and sediment control plan for any construction or maintenance project as required by paragraph (1) of this subsection. Any consultant providing such professional service shall be prequalified by the Department of Transportation as a responsible bidder for the design of erosion and sediment control plans. The division shall assist the Department of Transportation in developing the prequalification approval process for purposes of this subsection.

(c) Upon completion of a proposed plan, the same shall be submitted to the division for review and comment as required by the state general permit.

(d)

(1) All bidders for any construction or maintenance project subject to this Code section shall review and submit with their bid proposal a cost estimate as a separate bid for the implementation of the plan, it being understood that the contractor may utilize either its own personnel and resources, qualified subcontractors, or both for implementation of the plan. All contractors and subcontractors for such project shall be prequalified by the Department of Transportation as a responsible bidder for the installation of erosion and sediment control devices in accordance with a plan. The division shall assist the Department of Transportation in developing the prequalification approval process for purposes of this subsection.

(2) The contractor for a construction or maintenance project subject to this Code section shall be responsible for implementing the plan on the awarded project. Payment to any contractor under any contract for implementing any part or all of any plan shall not be on a lump sum basis; rather, such payment shall be based upon unit prices for specific

quantities of work performed pursuant to the approved erosion and sediment control plan plus any additional quantities of completed work necessitated by project conditions affecting erosion and sediment control, including without limitation soil types and weather conditions. Charges for all maintenance and cleaning of erosion and sediment control devices shall likewise be paid on a unit price basis.

(e)

(1) Through the services of independent consultants, contractors, or subcontractors, or by its own forces, the Department of Transportation shall monitor the water quality and inspect the installation and maintenance of the best management practices in accordance with the plan. All such consultants, contractors, or subcontractors shall be prequalified by the Department of Transportation as a responsible bidder for the inspection of such best management practices and shall have the necessary expertise to determine that such practices are being installed and maintained in accordance with the plan. The division shall assist the Department of Transportation in developing the prequalification approval process for purposes of this subsection.

(2) Proper design, installation, and maintenance of best management practices shall constitute a complete defense to any action by the director or to any other allegation of noncompliance with paragraph (2) of subsection (a) of Code Section 12-7-6.

(3) If deficiencies in the plan or installation or maintenance of best management practices are discovered during the inspection, the Department of Transportation or the State Road and Tollway Authority shall determine the appropriate corrective action. Further, the Department of Transportation or State Road and Tollway Authority may require the consultant to amend the plan or the contractor to change its procedures by change order or supplemental agreement in order to institute such changes as may be necessary to correct any errors or deficiencies in the plan, the implementation of the plan, or the maintenance of the best management practices.

(4) The division, the Department of Transportation, or the State Road and Tollway Authority shall control or coordinate the work of its employees inspecting any project so as to prevent any delay of, interference with, or hindrance to any contractor performing land-disturbing activity on any project subject to the provisions of this Code section.

(f)

(1) There shall be an Erosion and Sediment Control Overview Council which shall approve the Manual for Erosion and Sediment Control in Georgia prior to publication by the commission. In addition, the council shall provide guidance on the best management practices for implementing any erosion and sediment control plan for purposes of this Code section. The council shall be composed of nine members, including one member of the House of Representatives who shall be appointed by the Speaker of the House of Representatives and serve at the pleasure thereof; one member of the Senate who shall be appointed by the President of the Senate and serve at the pleasure thereof; and seven

members who shall be appointed by the Governor and serve at the pleasure thereof, including one employee each from the Department of Transportation, the Environmental Protection Division of the Department of Natural Resources, and the State Road and Tollway Authority, a professional engineer licensed to practice in this state from a private engineering consulting firm practicing environmental engineering, one representative of the highway contracting industry certified by the Department of Transportation, one representative of the electric utility industry, and a chairperson. The council shall meet as necessary to approve any subsequent changes or updates to the manual prior to its implementation. Such meetings shall be held at the call of the chairperson. Each council member shall receive a daily allowance in the amount specified in subsection (b) of Code Section 45-7-21; provided, however, that any full-time state employee serving on the council shall draw no compensation but shall receive necessary expenses. The commissioner is authorized to pay such compensation and expenses from department funds.

(2) The Erosion and Sediment Control Overview Council may develop recommendations governing the preparation of plans and the installation and maintenance of best management practices. If a dispute concerning the requirements of this Code section should arise, the Erosion and Sediment Control Overview Council shall mediate the dispute.

(3) The Erosion and Sediment Control Overview Council shall establish, evaluate, and maintain the education and training programs established pursuant to Code Section 12-7-19, including, but not limited to, reviewing course curricula, educational materials, and exam and testing procedures; evaluating trainer and instructor qualifications; and reviewing audit results performed by the commission.

(g) Nothing in this Code section shall be construed to affect the division's authority under Article 2 of Chapter 5 of this title, the "Georgia Water Quality Control Act."

§12-7-8. Certification of locality as local issuing authority; periodic review; procedure for revoking certification; enforcement actions

(a)

(1) If a county or municipality has enacted ordinances which meet or exceed the standards, requirements, and provisions of this chapter and the state general permit, except that the standards, requirements, and provisions of the ordinances for monitoring, reporting, inspections, design standards, turbidity standards, education and training, and project size thresholds with regard to education and training requirements shall not exceed the state general permit requirements, and which are enforceable by such county or municipality, and if a county or municipality documents that it employs or contracts with qualified personnel to implement enacted ordinances, the director shall certify such county or municipality as a local issuing authority for the purposes of this chapter.

(2) A local issuing authority shall regulate both primary and secondary permittees as such terms are defined in the state general permit. Primary permittees shall be responsible for installation and maintenance of best management practices where the primary permittee is conducting land-disturbing activities. Secondary permittees shall be responsible for installation and maintenance of best management practices where the secondary permittee is conducting land-disturbing activities. A local issuing authority must review, revise, or amend its ordinances within 12 months of any amendment to this chapter.

(3) Any land-disturbing activities by a local issuing authority shall be subject to the same requirements of the ordinances such local issuing authority adopted pursuant to this chapter as are applied to private persons, and the division shall enforce such requirements upon the local issuing authority.

(4)

(A) If a local issuing authority certified by the director under paragraph (1) of this subsection has within its jurisdiction an area served by a water authority or water and sewer authority which has been authorized by local law to be responsible for storm-water management and to implement and enforce all relevant ordinances and regulations and, pursuant to an intergovernmental agreement with the governing authority of a county or municipality, operates a storm-water utility and maintains the storm-water management system and soil erosion and sedimentation control permitting, inspection, and enforcement within such county or municipality, such water authority or water and sewer authority may, in the sole discretion of the director, be certified as the local issuing authority for the county or municipality which it serves.

(B) In the event that a water authority or water and sewer authority serves more than one county or municipality that is a local issuing authority certified by the director under paragraph (1) of this subsection, such water authority or water and sewer authority must have authority to implement and enforce all relevant ordinances and regulations from and an intergovernmental agreement with every applicable county or municipality before the director may certify such water authority or water and sewer authority as a local issuing authority for any county or municipality which it serves.

(C) In the event that a water authority or water and sewer authority serves less than an entire county or municipality that is a local issuing authority certified by the director under paragraph (1) of this subsection, the intergovernmental agreement described under this paragraph shall specify the jurisdictional boundaries within which the water authority or water and sewer authority shall act as the local issuing authority.

(b) The districts or the commission or both shall review semi-annually the actions of jurisdictions and entities which have been certified as local issuing authorities pursuant to subsection (a) of this Code section. The districts or the commission or both may provide

technical assistance to any jurisdiction or entity for the purpose of improving the effectiveness of the jurisdiction's or entity's erosion and sedimentation control program. The districts or the commission shall notify the division and request investigation by the division if any deficient or ineffective local program is found.

(c) The board, on or before December 31, 2003, shall promulgate rules and regulations setting forth the requirements and standards for certification and the procedures for decertification of a local issuing authority. The division may periodically review the actions of jurisdictions and entities which have been certified as local issuing authorities pursuant to subsection (a) of this Code section. Such review may include, but shall not be limited to, review of the administration and enforcement of and compliance with the applicable ordinances and regulations and review of conformance with an agreement, if any, between the district and the local issuing authority. If such review indicates that the jurisdiction or entity certified pursuant to subsection (a) of this Code section has not administered, enforced, or complied with its ordinances or regulations or has not conducted the program in accordance with subsection (e) of Code Section 12-7-7, the division shall notify that jurisdiction or entity in writing. The jurisdiction or entity so notified shall have 90 days within which to take the necessary corrective action to retain certification as a local issuing authority. If the jurisdiction or entity does not take necessary corrective action within 90 days after notification by the division, the division shall revoke the certification of the jurisdiction or entity as a local issuing authority.

(d) The director may determine that the public interest requires initiation of an enforcement action by the division. Where such a determination is made and the local issuing authority has failed to secure compliance, the director may implement the board's rules and seek compliance under provisions of Code Sections 12-7-12 through 12-7-15. For purposes of this subsection, enforcement actions taken by the division pursuant to Code Sections 12-7-12 through 12-7-15 shall not require prior revocation of certification of the jurisdiction or entity as a local issuing authority.

§12-7-9. Applications for permits; erosion and sediment control plans and data; time for issuance or denial

(a) Applications for permits shall be submitted in accordance with this chapter and the rules and regulations, ordinances, and resolutions adopted pursuant to this chapter. Such applications shall be accompanied by the applicant's erosion and sediment control plans and by such supportive data as will affirmatively demonstrate that the land-disturbing activity proposed will be carried out in such a manner that the minimum requirements set forth in Code Section 12-7-6 shall be met. All applications shall contain a certification stating that the plan preparer or the designee thereof visited the site prior to creation of the plan or that such a visit was not required in accordance with rules and regulations established by the board.

(b) No permit shall be issued to any applicant unless the local issuing authority affirmatively determines that the plan embracing such activities meets the requirements of Code Section 12-7-6. All applicable fees shall be paid prior to issuance of the land disturbance permit by the local issuing authority.

(c) Permits shall be issued or denied as soon as practicable after the application therefor has been filed with the local issuing authority, but in any event not later than 45 days thereafter.

§12-7-10. Referral of application and plan to district; time for action

Except as otherwise provided by Code Section 12-7-7, immediately upon receipt of an application for a permit the application and plan for sediment and erosion control shall be referred to the appropriate district wherein such land-disturbing activities are proposed to take place, for its review and approval or disapproval concerning the adequacy of the erosion and sediment control plan proposed by the applicant. A district shall approve or disapprove a plan within 35 days of receipt. Failure of a district to act within 35 days shall be considered an approval of the pending plan.

§12-7-11. Statement of reasons for denial of permit required; conditions for approval; suspension, revocation, or modification of permit

(a) Within the time specified by Code Section 12-7-9, the local issuing authority shall issue or deny the permit. The local issuing authority, upon denial of a permit, shall state its reasons for the denial, setting forth specifically wherein such application is found to be deficient. Any land-disturbing activity permitted under this chapter shall be carried out in accordance with this chapter and the ordinance, resolution, or rules and regulations adopted and promulgated pursuant to this chapter. The local issuing authority shall specify on the permit the conditions under which the activity may be undertaken.

(b) The permit may be suspended, revoked, or modified by the local issuing authority, as to all or any portion of the land affected by the plan, upon a finding that the holder or his or her successor in title is not in compliance with the approved erosion and sediment control plan or that the holder or his or her successor in title is in violation of this chapter or any ordinance, resolution, rule, or regulation adopted or promulgated pursuant to this chapter. A holder of a permit shall notify any successor in title to him or her as to all or any portion of the land affected by the approved plan of the conditions contained in the permit.

§12-7-12. Orders directed to violators; stop work order procedures

(a) Except as provided in subsection (d) of this Code section, whenever the director has reason to believe that a violation of any provision of this chapter, any rule or regulation of the board, or any order of the director has occurred in a county or municipality which is not certified pursuant to subsection (a) of Code Section 12-7-8, the director may issue an order directed to such violator or violators. The order shall specify the provisions of this chapter or the rules or regulations or order alleged to have been violated and may require that land-disturbing activity be stopped until necessary corrective action and mitigation have been taken or may require that necessary corrective action and mitigation be taken within a reasonable time to be prescribed in the order. Any order issued by the director under this Code section shall be signed by the director. Any such order shall become final unless the person or persons named therein request, in writing, a hearing pursuant to Code Section 12-7-16.

(b) Except as provided in subsection (d) of this Code section, whenever a local issuing authority has reason to believe that a violation of any provision of a local ordinance or resolution has occurred within the jurisdiction of the local issuing authority, the local issuing authority may require that land-disturbing activity be stopped until necessary corrective action and mitigation have been taken or may require that necessary corrective action and mitigation be taken within a reasonable time.

(c) The following procedures shall apply to the issuances of stop work orders:

(1) For the first and second violations of the provisions of this chapter, the director or the local issuing authority shall issue a written warning to the violator. The violator shall have five days to correct the violation. If the violation is not corrected within five days, the director or local issuing authority shall issue a stop work order requiring that land-disturbing activities be stopped until necessary corrective action or mitigation has occurred; provided, however, that, if the violation presents an imminent threat to public health or waters of the state, the director or local issuing authority shall issue an immediate stop work order in lieu of a warning;

(2) For a third and each subsequent violation, the director or local issuing authority shall issue an immediate stop work order; and

(3) All stop work orders shall be effective immediately upon issuance and shall be in effect until the necessary corrective action or mitigation has occurred.

(d) When a violation of this chapter in the form of taking action without a permit, failure to maintain a stream buffer, or significant amounts of sediment, as determined by the local issuing authority or by the director or his or her designee, have been or are being discharged into state waters and where best management practices have not been properly designed, installed, and maintained, a stop work order shall be issued by the local issuing authority or by the director or his or her designee. All such stop work orders shall be effective immediately upon issuance and shall be in effect until the necessary corrective action or mitigation has occurred. Such stop work orders shall apply to all land-disturbing activity on the site with the exception of the installation and maintenance of temporary or permanent erosion and sediment controls.

§12-7-13. Injunctions

Whenever, in the judgment of the director, any person has engaged in or is about to engage in any act or practice which constitutes or would constitute a violation of this chapter, the rules and regulations adopted pursuant to this chapter, or any order or permit conditions in a county or municipality which is not certified pursuant to subsection (a) of Code Section 12-7-8, he or she may make application to the superior court of the county where such person resides or, if such person is a nonresident of the state, to the superior court of the county in which the violative act or practice has been or is about to be engaged in for an order enjoining such act or practice or for an order requiring compliance with this chapter, the rules and regulations adopted pursuant to this chapter, or the order or permit condition. Upon a showing by the director that such person

has engaged in or is about to engage in any such violative act or practice, a permanent or temporary injunction, restraining order, or other order shall be granted without the necessity of showing the lack of an adequate remedy at law.

§12-7-14. Actions to restrain imminent danger; emergency orders; duration of effectiveness of orders

(a) Notwithstanding any other provision of this chapter to the contrary, upon receipt of evidence that certain land-disturbing activities occurring in a municipality or county which is not certified pursuant to subsection (a) of Code Section 12-7-8 are presenting an imminent and substantial danger to the environment or to the health of humans, the director may bring an action as provided in Code Section 12-7-13 to restrain immediately any person causing or contributing to the danger caused by such land-disturbing activities or to take such other action as may be necessary.

(b) If it is not practicable to assure prompt protection of the environment or the health of humans solely by commencement of such a civil action, the director may issue such emergency orders as may be necessary to protect the environment or the health of humans who are or may be affected by such land-disturbing activities. Notwithstanding any other provision of this chapter, such order shall be immediately effective for a period of not more than 48 hours, unless the director brings an action under subsection (a) of this Code section before the expiration of such period. Whenever the director brings such an action within such period, such order shall be effective for such period of time as may be authorized by the court pending litigation or thereafter.

§12-7-15. Civil penalty

Any person who violates any provision of this chapter, the rules and regulations adopted pursuant to this chapter, or any permit condition or limitation established pursuant to this chapter or who negligently or intentionally fails or refuses to comply with any final or emergency order of the director issued as provided in this chapter shall be liable for a civil penalty not to exceed \$2,500.00 per day. For the purpose of enforcing the provisions of this chapter, notwithstanding any provision in any city charter to the contrary, municipal courts shall be authorized to impose a penalty not to exceed \$2,500.00 for each violation. Notwithstanding any limitation of law as to penalties which can be assessed for violations of county ordinances, any magistrate court or any other court of competent jurisdiction trying cases brought as violations of this chapter under county ordinances approved under this chapter shall be authorized to impose penalties for such violations not to exceed \$2,500.00 for each violation. Each day during which the violation or failure or refusal to comply continues shall be a separate violation.

§12-7-16. Hearings and review

All hearings on and review of contested matters, orders, or permits issued by or filed against the director and all hearings on and review of any other enforcement actions or orders initiated by the director under this chapter shall be provided and conducted in accordance with subsection (c) of Code Section 12-2-2. The hearing and review procedure provided in this Code section is to the exclusion of all other means of hearings or review.

§12-7-17. Exemptions

This chapter shall not apply to the following activities:

- (1)** Surface mining, as the same is defined in Code Section 12-4-72;
- (2)** Granite quarrying and land clearing for such quarrying;
- (3)** Such minor land-disturbing activities as home gardens and individual home landscaping, repairs, maintenance work, fences, and other related activities which result in minor soil erosion;
- (4)** The construction of single-family residences, when such construction disturbs less than one acre and is not a part of a larger common plan of development or sale with a planned disturbance of equal to or greater than one acre and not otherwise exempted under this paragraph; provided, however, that construction of any such residence shall conform to the minimum requirements as set forth in subsection (b) of Code Section 12-7-6 and this paragraph. For single-family residence construction covered by the provisions of this paragraph, there shall be a buffer zone between the residence and any state waters classified as trout streams pursuant to Article 2 of Chapter 5 of this title. In any such buffer zone, no land-disturbing activity shall be constructed between the residence and the point where vegetation has been wrested by normal stream flow or wave action from the banks of the trout waters. For primary trout waters, the buffer zone shall be at least 50 horizontal feet, and no variance to a smaller buffer shall be granted. For secondary trout waters, the buffer zone shall be at least 50 horizontal feet, but the director may grant variances to no less than 25 feet. Regardless of whether a trout stream is primary or secondary, for first order trout waters, which are streams into which no other streams flow except for springs, the buffer shall be at least 25 horizontal feet, and no variance to a smaller buffer shall be granted. The minimum requirements of subsection (b) of Code Section 12-7-6 and the buffer zones provided by this paragraph shall be enforced by the issuing authority;
- (5)** Agricultural operations as defined in Code Section 1-3-3 to include those practices involving the establishment, cultivation, or harvesting of products of the field or orchard; the preparation and planting of pasture land; farm ponds; dairy operations; livestock and poultry management practices; and the construction of farm buildings;
- (6)** Forestry land management practices, including harvesting; provided, however, that when such exempt forestry practices cause or result in land-disturbing or other activities otherwise prohibited in a buffer, as established in paragraphs (15) and (16) of subsection (b) of Code Section 12-7-6, no other land-disturbing activities, except for normal forest management practices, shall be allowed on the entire property upon which the forestry practices were conducted for a period of three years after the completion of such forestry practices;
- (7)** Any project carried out under the technical supervision of the Natural Resources Conservation Service of the United States Department of Agriculture;

(8) Any project involving less than one acre of disturbed area; provided, however, that this exemption shall not apply to any land-disturbing activity within a larger common plan of development or sale with a planned disturbance of equal to or greater than one acre or within 200 feet of the bank of any state waters, and for purposes of this paragraph, “state waters” excludes channels and drainageways which have water in them only during and immediately after rainfall events and intermittent streams which do not have water in them year round; provided, however, that any person responsible for a project which involves less than one acre, which involves land-disturbing activity, and which is within 200 feet of any such excluded channel or drainageway must prevent sediment from moving beyond the boundaries of the property on which such project is located and provided, further, that nothing contained in this chapter shall prevent a city or county which is a local issuing authority from regulating any such project which is not specifically exempted by paragraph (1), (2), (3), (4), (5), (6), (7), (9), or (10) of this Code section;

(9) Construction or maintenance projects, or both, undertaken or financed in whole or in part, or both, by the Department of Transportation, the Georgia Highway Authority, or the State Road and Tollway Authority; or any road construction or maintenance project, or both, undertaken by any county or municipality; provided, however, that construction or maintenance projects of the Department of Transportation or the State Road and Tollway Authority which disturb one or more contiguous acres of land shall be subject to the provisions of Code Section 12-7-7.1; except where the Department of Transportation, the Georgia Highway Authority, or the State Road and Tollway Authority is a secondary permittee for a project located within a larger common plan of development or sale under the state general permit, in which case a copy of a notice of intent under the state general permit shall be submitted to the local issuing authority, the local issuing authority shall enforce compliance with the minimum requirements set forth in Code Section 12-7-6 as if a permit had been issued, and violations shall be subject to the same penalties as violations by permit holders;

(10) Any land-disturbing activities conducted by any electric membership corporation or municipal electrical system or any public utility under the regulatory jurisdiction of the Public Service Commission, any utility under the regulatory jurisdiction of the Federal Energy Regulatory Commission, any cable television system as defined in Code Section 36-18-1, or any agency or instrumentality of the United States engaged in the generation, transmission, or distribution of power; except where an electric membership corporation or municipal electrical system or any public utility under the regulatory jurisdiction of the Public Service Commission, any utility under the regulatory jurisdiction of the Federal Energy Regulatory Commission, any cable television system as defined in Code Section 36-18-1, or any agency or instrumentality of the United States engaged in the generation, transmission, or distribution of power is a secondary permittee for a project located within a larger common plan of development or sale under the state general permit, in which case the local issuing authority shall enforce compliance with the minimum

requirements set forth in Code Section 12-7-6 as if a permit had been issued, and violations shall be subject to the same penalties as violations by permit holders; and

(11) Public water system reservoirs.

§12-7-18. Effect of chapter on requirements of the “Georgia Water Quality Control Act”

No provision of this chapter shall authorize any person to violate Article 2 of Chapter 5 of this title, the “Georgia Water Quality Control Act,” or the rules and regulations promulgated and approved under said article or to pollute any waters of this state as defined in said article.

§12-7-19. Education and training requirements; required programs; instructor qualifications; expiration of certification

(a)

(1) Persons involved in land development design, review, permitting, construction, monitoring, or inspection or any land-disturbing activity shall meet the education and training certification requirements, dependent on his or her level of involvement with the process, as developed by the commission in accordance with this Code section and in consultation with the division and the Erosion and Sediment Control Overview Council created pursuant to Code Section 12-7-7.1.

(2) On or after May 14, 2007, for each site on which land-disturbing activity occurs, each entity or person acting as either a primary, secondary, or tertiary permittee, as defined in the state general permit, shall have as a minimum one person who is in responsible charge of erosion and sedimentation control activities on behalf of said entity or person and meets the applicable education or training certification requirements developed by the commission present on site whenever land-disturbing activities are conducted on that site. A project site shall herein be defined as any land disturbance site or multiple sites within a larger common plan of development or sale permitted by an owner or operator for compliance with the state general permit.

(3) Persons or entities involved in projects not requiring a state general permit but otherwise requiring certified personnel on site may contract with certified persons to meet the requirements of this chapter.

(4) If a state general permittee who has operational control of land-disturbing activities for a site has met the certification requirements of paragraph (1) of subsection (b) of this Code section, then any person or entity involved in land-disturbing activity at that site and operating in a subcontractor capacity for such permittee shall have until December 31, 2007, to meet those educational requirements specified in paragraph (4) of subsection (b) of this Code section and shall not be required to meet any educational requirements that exceed those specified in said paragraph.

(b) No less than the following training programs shall be established:

(1) A fundamentals seminar (Level 1) will be established which provides sufficient training to all participants as to the applicable laws, requirements, processes, and latest means and methods recognized by this state to effectively control erosion and sedimentation;

(2) An advanced fundamentals seminar (Level 1) will be established which provides additional details of installation and maintenance of best management practices for both regulatory and nonregulatory inspectors and others;

(3) An introduction to design seminar (Level 2) will be established which provides required training to design and review a successful erosion, sedimentation, and pollution control plan;

(4) An awareness seminar (Level 1) will be established which does not exceed two hours in duration and which provides information regarding the erosion and sediment control practices and processes in the state and which will include an overview of the systems, laws, and roles of the participants; and

(5) A trainer and instructor seminar will be established for both Level 1 and Level 2 trainers and instructors which will provide the minimum training as to applicable laws and best management practices and design of erosion, sedimentation, and pollution control plans in this state.

(c) Trainer and instructor qualifications will be established with the following minimum requirements:

(1) Level 1 trainers and instructors shall meet at least the following minimum requirements and any other requirements as set by the commission:

(A) Education: four-year college degree or five years' experience in the field of erosion and sediment control;

(B) Experience: five-years' experience in the field of erosion and sediment control. Where years of experience is used in lieu of the education requirement of subparagraph (A) of this paragraph, a total of ten years' field experience is required;

(C) Approval by the commission and the Erosion and Sediment Control Overview Council; and

(D) Successful completion of the Level 1 trainer and instructor seminar found in paragraph (5) of subsection (b) of this Code section; and

(2) Level 2 trainers and instructors shall meet at least the minimum requirements of a Level 1 trainer or instructor, any other requirements as set by the commission, and successful completion of the Level 2 trainer and instructor seminar created under paragraph (5) of subsection (b) of this Code section.

(d) In addition to the requirements of subsection (c) of this Code section, the commission shall establish and any person desirous of holding certification must obtain a passing grade, as established by the Erosion and Sediment Control Overview Council, on a final exam covering the material taught in each mandatory seminar; provided, however, that there shall be no final exam requirement for purposes of paragraph (4) of subsection (b) of this Code section. Final exams may, at the discretion of the commission, serve in lieu of attendance at the seminar. Any person shall be authorized to administer a final examination for any seminar for which he or she was the instructor.

(e)

(1) A certification provided by achieving the requirements established by the commission shall expire no later than three years after its issuance.

(2) A certified individual shall be required to attend and participate in at least four hours of approved continuing education courses, as established by the commission, every three years.

(3) A certification may be extended or renewed by meeting requirements established by the commission.

(4) Revocation procedures may be established by the commission in consultation with the division and the Erosion and Sediment Control Overview Council.

§12-7-20. [Reserved] Creation of Stakeholder Advisory Board; responsibilities; procedures

§12-7-21. Appointment of panel to study controls implemented pursuant to chapter; procedure and operation of panel

Reserved.

§12-7-22. Electronic filing and reporting system

In order to achieve efficiencies and economies for both the division and the regulated community by the use of electronic filing for certain application and reporting requirements of this chapter and National Pollution Discharge Elimination System permits, the division and the Pollution Prevention Assistance Division of the department shall jointly work toward implementing such an electronic filing and reporting system as soon as practicable and allowable under federal regulations.