

Erosion & Sediment Control Webinar Presented by Lisa Simms, PE CPESC for:

> **UGA EROSION CONTROL DAY**

Leader in The Industry











Erosion

• **Erosion:** The wearing away of natural (earth) and unnatural (embankment, slope protection, structure, etc.) surfaces by the action of external forces.

- 3 Types of natural forces
 - Water
 - Wind
 - Frost



Solutions We Provide:



- Rolled Erosion Control Product (RECP):
 - Erosion Control Blanket-Temporary
 - Turf Reinforcement Mat-Permanent
- Open Weave Textiles (OWT)
- Sediment Retention Fiber Rolls (SRFRs)



Erosion Blanket

 A temporary, degradable or long-term, nondegradable material manufactured or fabricated into rolls designed to reduce soil erosion and assist in the growth, establishment and protection of vegetation.

- 3 Parts
 - Netting
 - Matrix
 - Thread



Soil Preparation

- Soil Test
- Soil

Amendments

•Grade Area

Smoothly





Product Placement

•Have corrective measures from

manufacturer to

repair damage

Use proper

overlapping

Establishing

intimate contact with

soil is important for





Removed Dam and then re-established stream bed.









Sod Covered



erosion control


Coir Mats

• 400 gram

• 700 gram

• 900 gram









Coconut (Coir)

Fiber taken from inner layer of the coconut



- 100% organic and naturally resistant to rot, moisture, and mold
- Coir fiber tends to be stronger than other natural fibers
- Coir fiber is not damaged by salt water

Walking Paths & High Traffic Areas

900 Gram Coir Mat

• Timeframe 2 months



Demonstration of a successful plant plugging through an OWT





Coir Logs

Diameters

- 6"
- 12"
- 16"
- 20"




Grades – determined by weight

- Standard
- Premium




Coir Log Installation







ECDESIGNER2.0



Create an account and **save** your projects for later edits

Customize the specifics to *your* Slope, Channel, or Spillway job sites

Print engineering and product info in an *easy-to-read* format right from the app







Technical and Customer Service Support

